



INVITATION TO BID NO: 10-X-2216335

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING

REQ. AGENCY : 999999
PURCHASING DIVISION
AGENCY REQ. NO. :
T-NUMBER : T041
DATE ISSUED : 01/21/10
VENDOR NO. :
VENDOR PHONE NO. :
SNAP REQ. NO. : 1435610
BUYER NAME : JENNIFER LORETZ

INVITATION TO BID

FOR: ACTIVE SHOOTER TRAINING KITS

BUYER PHONE NO. : (334) 242-7370-
PURCHASING PHONE NO: (334) 242-7250

BID MUST BE RECEIVED BEFORE:
DATE: 02/17/10 TIME: 5:00 PM

BIDS WILL BE PUBLICLY OPENED:
DATE: 02/18/10 TIME: 10:00 AM

TO BE COMPLETED BY VENDOR

INFORMATION IN THIS SECTION SHOULD BE PROVIDED, AS APPROPRIATE. BID RESPONSE MUST BE IN INK OR TYPED WITH ORIGINAL SIGNATURE AND NOTARIZATION.

1. DELIVERY: CAN BE MADE _____ DAYS OR _____ WEEKS AFTER RECEIPT OF ORDER
2. TERMS: _____(DISCOUNTS ARE TAKEN WITHOUT REGARD TO DATE OF PAYMENT.)
3. PRICE VALID FOR ACCEPTANCE WITHIN _____ DAYS.
4. VENDOR QUOTATION REFERENCE NUMBER, IF ANY: _____
(THIS NUMBER WILL APPEAR ON THE PURCHASE ORDER.)
5. E-MAIL ADDRESS: _____
INTERNET WEBSITE: _____
6. GENERAL CONTRACTOR'S LICENSE NO: _____
TYPE OF G.C. LICENSE: _____

***** IMPORTANT NOTE: *****

BIDDERS MUST COMPLY WITH ALL "BID RESPONSE INSTRUCTIONS" ON PAGE 2, TO INCLUDE ITEM 7 - COPY REQUIREMENT.

RETURN INVITATION TO BID:

US MAIL

COURIER

STATE OF ALABAMA
DEPARTMENT OF FINANCE
DIVISION OF PURCHASING
P O BOX 302620
MONTGOMERY, AL 36130-2620

STATE OF ALABAMA
DIVISION OF PURCHASING
RSA UNION BUILDING
100 N. UNION ST., SUITE 192
MONTGOMERY, AL 36104

SIGNATURE AND NOTARIZATION REQUIRED

I HAVE READ THE ENTIRE BID AND AGREE TO FURNISH EACH ITEM OFFERED AT THE PRICE QUOTED. I HERBY AFFIRM I HAVE NOT BEEN IN ANY AGREEMENT OR COLLUSION AMONG BIDDERS IN RESTRAINT OF FREEDOM OF COMPETITION BY AGREEMENT TO BID AT A FIXED PRICE OR TO REFRAIN FROM BIDDING.

SWORN TO AND

FEIN OR SSN

AUTHORIZED SIGNATURE (INK)

SUBSCRIBED BEFORE ME THIS

COMPANY NAME

TYPE/PRINT AUTHORIZED NAME

_____ DAY OF _____

MAIL ADDRESS

TITLE

NOTARY PUBLIC

CITY, STATE, ZIP

TOLL FREE NUMBER

TERM EXP: _____

PHONE INCLUDING AREA CODE

FAX NUMBER

STANDARD TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216335 PAGE 2
OPEN DATE : 02/18/10 TIME: 10:00 AM
T-NUMBER : T041
RETURN DATE: 02/17/10 TIME: 5:00 PM

INVITATION TO BID

AUTHORITY:

THE DEPARTMENT OF FINANCE CODE OF ADMINISTRATIVE PROCEDURE, CHAPTER 355-4-1 EFFECTIVE DECEMBER 20, 2001 IS INCORPORATED BY REFERENCE AND MADE A PART OF THIS DOCUMENT. TO RECEIVE A COPY CALL (334)242-7250, OR OUR WEBSITE WWW.PURCHASING.ALABAMA.GOV .

INFORMATION AND ASSISTANCE TO MINORITY AND WOMEN-OWNED BUSINESSES IN ACQUIRING M/WBE CERTIFICATION MAY BE OBTAINED FROM THE OFFICE OF MINORITY BUSINESS ENTERPRISE, 1-800-447-4191.

BID (ITB) RESPONSE INSTRUCTIONS REV: 01/14/10

1. TO SUBMIT A RESPONSIVE BID, READ THESE INSTRUCTIONS, ALL TERMS, CONDITIONS AND SPECIFICATIONS.
2. BID ENVELOPES/PACKAGES/BOXES MUST BE IDENTIFIED ON FRONT, PREFERABLY LOWER LEFT CORNER AND BE VISIBLE WITH THE BID NUMBER AND OPENING DATE. EACH INDIVIDUAL BID (IDENTIFIED BY A UNIQUE BID NUMBER) MUST BE SUBMITTED IN A SEPARATE ENVELOPE. RESPONSES TO MULTIPLE BID NUMBERS SUBMITTED IN THE SAME ENVELOPE/COURIER PACKAGE, THAT ARE NOT IN SEPARATE ENVELOPES PROPERLY IDENTIFIED, WILL BE REJECTED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR LATE BIDS FOR ANY REASON INCLUDING THOSE DUE TO POSTAL, OR COURIER SERVICE. BID RESPONSES MUST BE IN THE DIVISION OF PURCHASING OFFICE PRIOR TO THE "RECEIVE DATE AND TIME" INDICATED ON THE BID.
3. BID RESPONSES (PAGE 1, PRICE SHEET AND ADDENDUMS (WHEN SIGNATURE IS REQUIRED)) MUST BE IN INK OR TYPED ON THIS DOCUMENT. OR EXACT FORMAT WITH SIGNATURES BEING HANDWRITTEN ORIGINALS IN INK (PERSON SIGNING BID, NOTARY, AND NOTARY EXPIRATION), OR THE BID WILL BE REJECTED. UNLESS INDICATED IN THE BID, ALL PRICE PAGES MUST BE COMPLETED AND RETURNED. IF AN ITEM IS NOT BEING BID, IDENTIFY IT AS NB (NO-BID). PAGES SHOULD BE SECURED. THE DIVISION OF PURCHASING DOES NOT ASSUME RESPONSIBILITY FOR MISSING PAGES. FAXED BID RESPONSES WILL NOT BE ACCEPTED.
4. THE UNIT PRICE ALWAYS GOVERNS REGARDLESS OF THE EXTENDED AMOUNT. A UNIT PRICE CHANGE ON A LINE MUST BE INITIALED BY THE PERSON SIGNING THE BID, OR THAT LINE WILL BE REJECTED. THIS INCLUDES A CROSS-OUT, STRIKE-OVER, INK-OVER, WHITE-OUT, ERASURE, OR ANY OTHER METHOD CHANGING THE PRICE.
5. A "NO BID" MUST BE RETURNED TO REMAIN ON A CLASS/SUBCLASS. RETURN PAGE 1 OR NOTIFICATION PAGE MARKED "NO-BID". IDENTIFY IT ON THE ENVELOPE AS A "NO-BID". FAILING TO RESPOND TO 3 ITB'S WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. RESPONDING WITH 6 "NO-BIDS" WITHIN THE SAME CLASS/SUBCLASS WILL AUTOMATICALLY PURGE THE VENDOR FROM THAT CLASS/SUBCLASS. A "NO-BID" RECEIVED LATE IS CONSIDERED A NO RESPONSE.
6. THE DIVISION OF PURCHASING IS NOT RESPONSIBLE FOR MISINTERPRETATION OF DATA FAXED FROM THIS OFFICE.
7. THE DIVISION OF PURCHASING REQUIRES AN ORIGINAL AND A MINIMUM OF ONE COMPLETE EXACT COPY (TO INCLUDE SIGNATURE AND NOTARY) OF THE INVITATION-TO-BID RESPONSE. THE ORIGINAL AND THE COPY SHOULD BE SUBMITTED TOGETHER AS A BID PACKAGE. FAILURE TO MARK RESPONSES AS "ORIGINAL" AND/OR "COPY" COULD RESULT IN THE ENTIRE BID RESPONSE BEING REJECTED.
8. AN IMPROPERLY SUBMITTED BID, LATE BID, OR BID THAT IS CANCELLED ON OR BEFORE THE OPENING DATE WILL BE HELD FOR 90 DAYS AND THEN DESTROYED. THE BID MUST BE RETRIEVED DURING REGULAR WORK HOURS, MONDAY - FRIDAY, EXCEPT STATE HOLIDAYS. AFTER THE BID IS DESTROYED, THE DIVISION OF PURCHASING ASSUMES NO RESPONSIBILITY FOR THE DOCUMENT.

DISQUALIFIED/CANCELLED BID

BIDS THAT ARE IMPROPERLY SUBMITTED OR RECEIVED LATE WILL BE A RESPONSE FOR RECORD, BUT WILL NOT BE RETURNED OR A NOTIFICATION MAILED.

THE FOLLOWING IS A PARTIAL LIST WHEREBY A BID RESPONSE WILL BE DISQUALIFIED:

- BID NUMBER NOT ON FACE OF ENVELOPE/COURIER PACKAGE/BOX
- RESPONSES TO MULTIPLE BID NUMBERS IN SAME ENVELOPE NOT PROPERLY IDENTIFIED
- BID RECEIVED LATE
- BID NOT SIGNED/NOT ORIGINAL SIGNATURE
- BID NOT NOTARIZED/NOT ORIGINAL SIGNATURE OF NOTARY AND/OR NO NOTARY EXPIRATION
- NOTARIZED OWN SIGNATURE
- REQUIRED INFORMATION NOT SUBMITTED WITH BID
- FAILURE TO SUBMIT THE ORIGINAL BID AND A COMPLETE EXACT COPY

CERTIFICATION PURSUANT TO ACT NO. 2006-557

ALABAMA LAW (SECTION 41-4-116, CODE OF ALABAMA 1975) PROVIDES THAT EVERY BID SUBMITTED AND CONTRACT EXECUTED SHALL CONTAIN A CERTIFICATION THAT THE VENDOR, CONTRACTOR, AND ALL OF ITS AFFILIATES THAT MAKE SALES FOR DELIVERY INTO ALABAMA OR LEASES FOR USE IN ALABAMA ARE REGISTERED, COLLECTING, AND REMITTING ALABAMA STATE AND LOCAL SALES, USE, AND/OR LEASE TAX ON ALL TAXABLE SALES AND LEASES INTO ALABAMA. BY SUBMITTING THIS BID, THE BIDDER IS HEARBY CERTIFYING THAT THEY ARE IN FULL COMPLIANCE WITH ACT NO. 2006-557, THEY ARE NOT BARRED FROM BIDDING OR ENTERING INTO A CONTRACT PURSUANT TO 41-4-116, AND ACKNOWLEDGES THAT THE AWARDING AUTHORITY MAY DECLARE THE CONTRACT VOID IF THE CERTIFICATION IS FALSE.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216335
OPEN DATE : 02/18/10 TIME: 10:00 AM
T-NUMBER : T041
RETURN DATE: 02/17/10 TIME: 5:00 PM

PAGE 3

INVITATION TO BID

INTENT TO AWARD

EFFECTIVE MAY 1, 2008, THE STATE OF ALABAMA - DIVISION OF PURCHASING WILL ISSUE AN 'INTENT TO AWARD' BEFORE A FINAL AWARD IS MADE. THE 'INTENT TO AWARD' WILL CONTINUE FOR A PERIOD OF FIVE (5) CALENDAR DAYS, AFTER WHICH A PURCHASE ORDER WILL BE PRODUCED. UPON FINAL AWARD, ALL RIGHTS TO PROTEST ARE FORFEITED. A DETAILED EXPLANATION OF THIS PROCESS MAY BE REVIEWED IN THE ALABAMA ADMINISTRATIVE CODE - CHAPTER 355-4-1(14).

ALTERNATE BID RESPONSE

UNLESS STATED ELSEWHERE IN THIS INVITATION-TO-BID (ITB) THE STATE OF ALABAMA WILL ACCEPT AND EVALUATE ALTERNATE BID SUBMITTALS ON ANY ITB'S. ALTERNATE BID RESPONSES WILL BE EVALUATED ACCORDING TO THE REQUIREMENTS AS ALL OTHER RESPONSES TO THIS ITB.

INTERNET WEBSITE LINK'S

INTERNET AND/OR WEBSITE LINKS WILL NOT BE ACCEPTED IN BID RESPONSES AS A MEANS TO SUPPLY ANY REQUIREMENTS STATED IN THIS ITB (INVITATION-TO-BID).

PRODUCT DELIVERY, RECEIVING AND ACCEPTANCE

IN ACCORDANCE WITH THE UNIVERSAL COMMERCE CODE (CODE OF ALABAMA, TITLE 7), AFTER DELIVERY, THE STATE OF ALABAMA HAS THE RIGHT TO INSPECT ALL PRODUCTS BEFORE ACCEPTING. THE STATE WILL INSPECT PRODUCTS IN A REASONABLE TIMEFRAME. SIGNATURE ON A DELIVERY DOCUMENT DOES NOT CONSTITUTE ACCEPTANCE BY THE STATE. THE STATE WILL ACCEPT PRODUCTS ONLY AFTER SATISFACTORY INSPECTION.

SALES TAX EXEMPTION

PURSUANT TO THE CODE OF ALABAMA, 1975, TITLE 40-23-4 (A) (11), THE STATE OF ALABAMA IS EXEMPT FROM PAYING SALES TAX. AN EXEMPTION LETTER WILL BE FURNISHED UPON REQUEST.

INVOICES

INQUIRIES CONCERNING PAYMENT AFTER INVOICES HAVE BEEN SUBMITTED ARE TO BE DIRECTED TO THE RECEIVING AGENCY, NOT THE DIVISION OF PURCHASING

BID RESPONSES AND BID RESULTS

UNEVALUATED BID RESPONSES (NOT BID RESULTS) ARE AVAILABLE ON OUR WEB SITE AT WWW.PURCHASING.ALABAMA.GOV. BID RESULTS WILL BE MADE AVAILABLE FOR REVIEW IN THE DIVISION OF PURCHASING OFFICE, BUT ONLY AFTER THE BID HAS BEEN AWARDED. WE DO NOT FAX OR MAIL COPIES OF BID RESULTS. IF A VENDOR WISHES TO REVIEW BID RESULTS IN OUR OFFICE, THEY SHOULD FAX THEIR REQUEST TO REVIEW THE BID TWO DAYS IN ADVANCE TO THE "BID REVIEW CLERK" AT (334) 242-4419. BE SURE TO REFERENCE THE BID NUMBER.

FOREIGN CORPORATION - CERTIFICATE OF AUTHORITY

ALABAMA LAW PROVIDES THAT A FOREIGN CORPORATION (AN OUT-OF-STATE COMPANY/FIRM) MAY NOT TRANSACT BUSINESS IN THE STATE OF ALABAMA UNTIL IT OBTAINS A CERTIFICATE OF AUTHORITY FROM THE SECRETARY OF STATE. SECTION 10-2B-15.01, CODE OF ALABAMA 1975. TO OBTAIN FORMS FOR A CERTIFICATE OF AUTHORITY, CONTACT THE SECRETARY OF STATE, CORPORATIONS DIVISION, (334) 242-5324. THE CERTIFICATE OF AUTHORITY DOES NOT KEEP THE VENDOR FROM SUBMITTING A BID.

BID IDENTIFICATION

REFERENCE PAGE 2, ITEM 2. DUE TO THE POSTAL SERVICE PUTTING BAR CODE LABELS ON ENVELOPES, IT CONCEALS THE BID NUMBER AND DATE IF THE VENDOR HAS WRITTEN THEM OTHER THAN THE LOWER LEFT CORNER, THEREFORE THE BID WOULD BE REJECTED FOR NOT BEING PROPERLY IDENTIFIED.

SPECIAL TERMS & CONDITIONS

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216335
OPEN DATE : 02/18/10 TIME: 10:00 AM
T-NUMBER : T041
RETURN DATE: 02/17/10 TIME: 5:00 PM

PAGE 4

INVITATION TO BID

AWARD:

AWARD WILL BE MADE "ALL OR NONE" TO THE LOWEST RESPONSIBLE BIDDER MEETING ALL SPECIFICATIONS.

FREIGHT:

BID IS F.O.B. DESTINATION. ANY FREIGHT CHARGES MUST BE INCLUDED IN THE BID PRICES. DO NOT INCLUDE FREIGHT AS A SEPARATE LINE ITEM.

DELIVERY TIME FRAME:

ALL ITEMS ORDERED MUST BE DELIVERED TO THE "SHIP TO" ADDRESS SHOWN ON THE P.O. WITHIN THIRTY (30) DAYS OF VENDOR'S RECEIPT OF ORDER.

PURPOSE:

ESTABLISH A CONTRACT FROM THE ITEMS LISTED FOR ALL STATE AGENCIES. CONTRACT PRICES ARE AVAILABLE TO ALL LOCAL GOVERNMENTAL AGENCIES AND SCHOOLS.

CONTRACT PERIOD:

ESTABLISH A 12 MONTH CONTRACT WITH AN OPTION TO EXTEND FOR A SECOND, THIRD, FOURTH, AND FIFTH 12 MONTH PERIOD WITH THE SAME PRICING, TERMS AND CONDITIONS. THE SECOND, THIRD, FOURTH, OR FIFTH 12 MONTH PERIOD, IF AGREED BY BOTH PARTIES, WOULD BEGIN THE DAY AFTER THE FIRST, SECOND, THIRD, OR FOURTH 12 MONTH PERIOD EXPIRES. ANY SUCCESSIVE EXTENSION MUST HAVE WRITTEN APPROVAL OF BOTH THE STATE AND VENDOR NO LATER THAN 30 DAYS PRIOR TO EXPIRATION OF THE PREVIOUS 12 MONTH PERIOD.

MANUFACTURER, STOCK/MODEL NUMBERS:

AT THE END OF EACH ITEM WHERE SPACES ARE MARKED "MFR" AND "MDL", THE VENDOR IS TO INDICATE THE MANUFACTURER & ALL STOCK/MODEL NUMBERS NECESSARY TO COMPLETE EACH UNIT AS SPECIFIED.

DESCRIPTIVE LITERATURE:

THE BRANDS AND MODEL NUMBERS REFERENCED PROVIDE A LEVEL OF QUALITY, AND UNLESS OTHERWISE SPECIFIED, ARE NOT RESTRICTIVE. VENDORS BIDDING ALTERNATE ITEMS MUST PROVIDE COMPLETE DESCRIPTIVE/TECHNICAL LITERATURE FOR CONSIDERATION AND EVALUATION WITH THEIR BID, AND WITH THE BID COPY PER ITEM NUMBER 7 ON PAGE 2. REFERENCE TO LITERATURE WITH A PREVIOUS BID WILL NOT SATISFY THIS REQUIREMENT. FAILURE TO PROVIDE THE REQUIRED LITERATURE WILL RESULT IN THE REJECTION OF THE BID. PHYSICAL INSPECTION AND OPERATIONAL EVALUATION MAY ALSO BE REQUIRED WITHOUT COST OR OBLIGATION TO THE STATE OF ALABAMA.

REQUESTED INFORMATION:

ANY ADDITIONAL INFORMATION REQUESTED FROM A VENDOR MUST BE FURNISHED WITHIN FIVE (5) DAYS FROM RECEIPT OF REQUEST.

PRICE SHEET

VENDOR NAME :

VENDOR NUMBER: -
ITB NO. : 10-X-2216335 PAGE 5
OPEN DATE : 02/18/10 TIME: 10:00 AM
T-NUMBER : T041
RETURN DATE: 02/17/10 TIME: 5:00 PM

INVITATION TO BID

LINE NO.	COMMODITY/SERVICE DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	EXTENDED AMOUNT
----------	-------------------------------	----------	------	------------	-----------------

UNLESS SPECIFIED OTHERWISE BELOW:
SHIP TO: R1 /
STATEWIDE

00001	COMMODITY CODE: 680-67-056758 ALERRT ACTIVE SHOOTER COURSE SEVEN (7) CASE TRAINING KIT. INCLUDES SIMUNITION WEAPONS AND PROTECTION DEVICES, INERT IEDS AND FLASH BANGS, ACTIVE SHOOTER RESPONSE KIT, LAPTOP, DLP PROJECTOR, CAMCORDER, ALERRT POWERPOINT PRESENTATION, VIDEO, ETC. PER THE ATTACHED SPECIFICATIONS CONTACT FOR SPECIFICATION QUESTIONS: TONY GARNER @ 334-353-8919 OR ALICE FREE @ 334-242-4390	1	EA	_____	_____
-------	--	---	----	-------	-------

00002	COMMODITY CODE: 680-67-056758 ALERRT ACTIVE SHOOTER TRAINING CONSUMABLES KIT. EACH INCLUDES FORTY (40) INDIVIDUAL KITS PACKAGED IN A PLASTIC TOTE. INDIVIDUAL KITS INCLUDE: SIMUNITION, BLANK ROUNDS, TRAINING FUSES, EARPLUGS, DVR+R DISCS, WET WIPES, ZIP TIES, BAGGIES, BALL POINT PENS, COURSE MANUALS & EVALUATION FORMS, ETC. PER THE ATTACHED SPECIFICATIONS	1	EA	_____	_____
-------	--	---	----	-------	-------

PAGE TOTAL _____

BID TOTAL _____

Training Kits for (ALERRT) Active Shooter Training

(Advanced Law Enforcement Rapid Response Training)

1. Training kit will consist of seven lockable, ready to ship, water tight cases complete with combination locks, with same combination.
2. Each case must come with below listed contents, prepackaged for transport.

Case # 1

Number of items	Description of item
1 ea	Case, Hard plastic, locking, with interior Foam padding, crushproof, waterproof, dustproof, double throw latches, rubber over molded handle, stainless steel padlock protector and hardware, approximately 32 ½"x20 ½"x11 5/16", color: black. Pelican 1650 or equal. MFR: _____ Model: _____
16 ea	Simunition Pistols, blue, Glock Model 17T only
4 ea	Simunition Pistols, orange, Glock Model 17T only
52 ea	Magazines, 15 round (blue) for Glock 17T pistols only
8 ea	Magazines, 15 round (orange) for Glock 17T pistols only
1 ea	Cleaning kit, Tactical, for 9mm handguns includes: cleaning rod, patches, cleaning solution and lubricate, Kleenbore PS50 or equal MFR: _____ Model: _____

Case # 2

Number of items	Description of item
1 ea	Case, Hard plastic, locking, with interior Foam padding, crushproof, waterproof, dustproof, double throw latches, rubber over molded handle, stainless steel padlock protector and hardware, Approximately 32 ½"x20 ½"x11 5/16", color: black. Pelican 1650 or equal. MFR: _____ Model: _____
30 ea	Demo weapons, orange, Glock Model 17/22 only
1 ea	Extension Cord, outdoor, 25ft, 16 gauge, orange MFR: _____ Model: _____
1 ea	Tactical response bag, approximately 13"x 9"x 6" cordura nylon, Black, w/ molle points, containing the following: 2 Light sticks (white, 12hour, 6", non toxic) / 2 ea S-Rolled Gauze (6 ply, 4.5"x 4.1 yards) / 1 ea Roll 3M Self Adhesive Vetrap Tape (4"x 5 yards)/1 Roll Survey

Tape (orange, 1"x600') / 1 ea Pair Trauma Scissors (Westcott (10098) 7", comfort grip, stainless steel blades, one serrated, curved handle, blunt tips) / 1 ea Mirror (3" ASP (52470) w/ case) / 1 ea CAT tourniquet (one-handed, windless system, NSN# 6515-01-521-7976)

2-10' strand of 550 Cord/ 2 Door markers (ET brand, high strength, alloy steel, Bright red)

Active Shooter Starter Kit TTPOA or equal

MFR: _____ Model: _____

2 ea Fanny Packs, Cordura nylon / with holster, must fit most Law Enforcement weapons, medium size, black, Recommend Blackhawk model 5-5-10 or equal

MFR: _____ Model: _____

Case # 3

Number of items

Description of item

1 ea Case, Hard plastic, locking, with interior Foam padding, crushproof, waterproof, dustproof, double throw latches, rubber over molded handle, stainless steel padlock protector and hardware, approximately 24 13/16"x19 3/8"x13 7/8", color: black. Pelican 1620 or equal.

MFR: _____ Model: _____

2 ea Blank firing pistol, 9mm semi-automatic, double/single action, 15 round capacity Walther model P99S or equal

MFR: _____ Model: _____

2 pairs 2- way radios, rechargeable batteries, with two pocket charger, 24 mile range, 36 channels with privacy codes, vibrate alerts and channel scan, water resistant, 3 year warranty, belt clips. Midland LXT 480 VP3 or equal

MFR: _____ Model: _____

1 ea Metal detector, Rugged, High impact, ultimate sensitive, self calibrating, hand held wand type, 9 V Battery. Garrett Model 1165180 or equal

MFR: _____ Model: _____

3 ea Flash bang training bodies, 6", with left hand threads, blue CTS model 7290T or equal

MFR: _____ Model: _____

- 2 ea Safety vest, All purpose mesh, polyester, reflective strips, size L/XL, w/ 1"x 3" hook & hoop closure, orange safety vest model # SKU-A1200 from E-Safety supplies or equal
- MFR: _____ Model: _____
- 1 ea Flashlight, 6", 6 volt with lithium battery, 120 lumens, Black, High output LED, water resistant, aluminum bodied, illumination tool/ Blackhawk night-ops Gladius Maximus #75200bk or equal.
- MFR: _____ Model: _____
- 3 ea Inert IEDS, simulated pipe bombs 12"x 1 1/2" PVC w/ end caps, & fuse

Case # 4

Number of items	Description of item
1 ea	Case, Hard plastic, locking, with interior Foam padding, crushproof, waterproof, dustproof, double throw latches, rubber over molded handle, stainless steel padlock protector and hardware, approximately 24 13/16"x19 3/8"x13 7/8", color: black . Pelican 1620 or equal
	MFR: _____ Model: _____
2 ea	Camcorder, DCR-DVD, Format : SD (MPEG2) ,Video Signal : NTSC color, EIA standards ,Weight (Approx.) : w/o battery: 13oz (390g) w battery: 15oz (440g), Dimensions (Approx.) : 2 1/4 x 3 5/8 x 5 1/8 inch (55 x 89 x 130mm), Manual / Auto Lens Cover : Manual , Memory Stick slot, S/S & Zoom button on LCD : Imaging Device : 1/8" Advanced HAD™ CCD sensor , Pixel Gross : 680K, Video Actual : 410K pixels (16:9), 340K pixels (4:3) , Video Resolution : 720 x 480, Still Actual : 250K pixels (16:9), 340K pixels (4:3), Still Picture Resolution : 680K , Recording Media : 3" (8cm) DVD (DVD-R/DVD-RW/DVD+RW/DVD+R DL) , Recording and Playback Times : 3" DVD media: Single Layer - HQ: 20 min., SP: 30 min., LP 60 min. Dual Layer - HQ: 35 min., SP: 55 min., LP: 109 min. HQ = up to 230 min., SP = up to 340 min., LP = up to 655 min, Battery Type : InfoLITHIUM® with AccuPower™ Meter System (NP-FH30) , Power Requirements : 7.2V (battery pack); 8.4V (AC Adaptor), Power Consumption (in Operation) : 2.2W / 2.4W (VF/LCD), Recording Format : Dolby® Digital 2ch stereo, Microphone : Built-in Zoom Microphone, Limited Warranty --- 1 Year Parts; 90 Days Labor , Image Stabilization : Steady Shot™ image stabilization, Quick On, Memory Stick PRO™ Media Compatibility , Face Index, Film Roll Index, Still Image Mode(s) : JPEG, Hybrid : Yes, Effect(s) : Black, White , Scene Mode(s) : Auto, Twilight, Candle, Sunrise & Sunset, Fireworks, Landscape,

Portrait, Spotlight, Sports, Beach, Snow, Easy Operation, Slide Show Mode, Multiple Language Display , Lens Type : Carl Zeiss® Vario-Tessar®, 35mm Equivalent : 39-2340mm (16:9), 44-2640mm (4:3), Aperture : F1.8-6.0, Digital Zoom : 2000x, Filter Diameter : 30mm, Focal Distance : 1.8 - 108mm, Focus : Full range Auto / Manual (Touch Panel) , Shutter Speed : Auto, 1/4 - 1/4000 , Minimum Illumination : 6 lux (Auto Slow Shutter On, 1/30 Shutter Speed) , Optical Zoom : 60x, Exposure : Yes (Touch Panel), Resolution : 680K, LCD Screen : 2.7" wide touch panel³ LCD display (123k pixels), Viewfinder (color 123k), Audio/Video Remote Terminal : Video / S Video / Audio , Analog Audio/Video Output(s) : Included (via A/V Remote Terminal) , USB Port(s) : Hi-speed (2.0 compliant), S-Video Output(s) : Sold separately (via A/V Remote jack), Supplied Software : PMB Ver.4.2.00 9. Supports Windows 2000 Professional Service Pack4 (SP4), Windows XP Service Pack3 (SP3)(32bit) Windows Vista Service Pack1 (SP1)(32bit/64bit). Not supported by Mac OS

Sony DCR-DVD650 Camcorder, with charger or equal

MFR: _____ Model: _____

- 1 ea PC Speaker System, two piece, Light weight, 3 watts, power on/off & volume control knob, integrated audio amplifier, with power cord and A/C adapter, 60-200000 Hz response bandwidth, built in magnet shield, 3.5 mm mini-phone line audio connection, Model: HK-206 or equal

MFR: _____ Model: _____

- 1 ea Projector, DLP, w/remote, analog computer cable, a/v plugs and adaptor. 2,000 Lumens Brightness: With maximum projector brightness of 2,000 ANSI Lumens, 1024 x 768 XGA Resolution: 1024 x 768 resolution and native 4:3 aspect ratio that also supports 16:9 wide format input, 1,800:1 Contrast Ratio: The 1800:1 (Full On / Full Off) contrast ratio, DLP® and Brilliant Color Technology: 300" Maximum Projection Size: At 302.8" maximum projection, Up to 5,000 Hour Lamp Life: Extend lamp life up to 5,000 hours in quiet-running eco mode, 2.6 lbs., Customizable Start-up Logo: Project brand success and customized company logo in HD, 165-watt user-replaceable 3,000-hour lamp (up to 5,000 hours in eco mode), Displayable Color: 16.7M colors, Color Wheel Speed: 100~127.5Hz (2X), Projection Lens: F/2.41~2.55, f=21.8~24.0 mm with 1.1x manual zoom lens, Projection Screen Size: 22.89-302.8" (diagonal), Projection Distance: 3.3~39.4 ft, Video Compatibility: NTSC (M 3.58MHz /4.43MHz), PAL(B/D/G/K/I/M/N), SECAM(B/D/G/K/K1/L), component video, HDMI (480 i/p, 576 i/p, 720p, 1080i/p) and HDTV (1080i/p, 720p, 576i/p, 480i/p), Power Supply: Universal 90-264V AC 50-60Hz with PFC input, Power Consumption: 205 watts in full mode, 165 watts in eco mode, Audio: 1 watt speaker, Noise Level: 39 dB(A) Full-on mode, 32 dB(A) Eco-mode, Operating Temperature: 5C - 35C (41F- 95F); humidity: 80% maximum, Storage Temperature: 0C to 60C (32F to

140F); humidity: 90% maximum, Regulatory: FCC, CE, VCCI, UL, cUL, Nemko-GS, ICES-003, MIC, C-Tick, CCC, PSB, NOM, SABS, eK, **Interfaces:** Power: AC power input socket, Computer Input: 1 D-sub for analog/component, HDTV input signals, Video Input: 1 composite video RCA and 1 S-video, Audio Input: 1 phone jack (diameter 3.5 mm), Audio Output: 1 phone jack (diameter 3.5 mm), USB Connector: 1 USB mouse remote support, HDMI Input: Support HDMI 1.1.HDCP compliant Dell M209X DLP Projector or equal.

MFR: _____ Model: _____

1ea Power strip, 6 outlet, 3' cord / Prime # PB001124 or equal

MFR: _____ Model: _____

1ea Flash Drive, USB, 8GB cruiser / sandisk # SDCZ8-8192-A75 or equal

MFR: _____ Model: _____

1 ea Laptop, Intel® Pentium® Dual Core™ T4300 (2.1GHz/800Mhz FSB/1MB cache) , Genuine Windows® 7 Home Premium, 64bit, English, Bright, glossy widescreen 15.6 WLED display (1366x768) . 8X CD/DVD Burner (Dual Layer DVD+/-R Drive), 3GB² Shared Dual Channel DDR2 at 800MHz , 250GB³ SATA Hard Drive (5400RPM) , Intel Graphics Media Accelerator X4500HD, Dell Wireless 1397 802.11g Half Mini-Card , 6-cell battery, Jet Black, Integrated 1.3 MP Webcam

Dell Inspiron 15 (1545) Laptop or equal.

MFR: _____ Model: _____

1 ea ALERRT 16hr basic active shooter course power point presentation, must be preloaded in the laptop. Produced by the ALERRT Program at Texas State University, San Marcos, TX

1 ea "Obsession" Radical Islam's war against the west (77 min) color, DVD, by Trinity Home Entertainment

Case # 5

Number of items

Description of item

1ea Case, Hard plastic, locking, with interior Foam padding, crushproof, waterproof, dustproof, double throw latches, rubber over molded handle, stainless steel padlock protector and hardware, approximately 32 1/2"x20 1/2"x11 5/16", color: black. Pelican 1650 or equal.

MFR: _____ Model: _____

- 1ea Utility Tool, approximately 18" one piece forged steel, two-tiered jaws, beveled nail slot, textured grip, 4 in 1(prying, splitting, bending & striking) tool. Stanley Fatmax Xtreme Fubar # 55-099 or equal
MFR: _____ Model: _____
- 1ea Sledge hammer, double face, approximately 2" forged steel head and Approximately 34 1/2" hickory handle. Stanley 56-808 or equal
MFR: _____ Model: _____
- 1ea Pry-Bar, I-Beam, approximately 18" heat treated, one piece forged steel. Dasco Pro #121 or equal
MFR: _____ Model: _____
- 1ea Window punch, Aluminum body w/ hardened steel point, adjustable tension, spring loaded, automatic, approximately 5 1/2" L x 5/8" D / EMI # 1079 or equal
MFR: _____ Model: _____
- 1ea Battle Axe, approximately 12 1/4", one piece steel, wood handle, with nylon sheath, black. SOG fusion Battle AX (FO2T) or equal
MFR: _____ Model: _____
- 1ea Tomahawk, approximately 15 3/4", 420 stainless steel head, fiberglass reinforced nylon handle, with nylon sheath, black. SOG fusion tactical tomahawk FO1T or equal
MFR: _____ Model: _____

Case # 6

Number of items	Description of item
1ea	Case, Single lid, open loop gasket, molded polyethylene handles, no foam, wing/turn catch-strikes, with cable locks, gray, approximately 36"x30"x28", Hardigg quick ship case or equal MFR: _____ Model: _____
15ea	Simunition Helmet, One piece, super tough nylon shell, 180 degrees peripheral vision, scratch resistant polycarbonate anti-fog coated visor, black FX 9002 #8971790 or equal / if equal is used, must show proof of simunition rating.

MFR: _____ Model: _____

15ea Throat Protector, simunition, High strength textile, 100% polyester outside, 50% cotton / 50% polyester interling HDPE and sponge neoprene, black, size L/XL, FX 9000 simunition throat protector # 8971761 or equal / if equal is used, must show proof of simunition rating

MFR: _____ Model: _____

1ea Mask, Paintball, Soft rubber, with lower mask, ear protection & visor, 260 degree field of vision, 2lbs, black, JT pro flex revolution paintball goggle system #GGJPREV8 or equal

MFR: _____ Model: _____

1ea Lens cleaner, glass or plastic, 1 oz bottle, anti fog, anti static by C-Clear or equal

MFR: _____ Model: _____

Case # 7

Number of items

Description of item

1ea Case, Single lid, open loop gasket, molded polyethylene handles, no foam, wing/turn catch-strikes, with cable locks, gray, approximately 36"x30"x28", Hardigg quick ship case or equal

MFR: _____ Model: _____

15ea Simunition Helmet, One piece, super tough nylon shell, 180 degrees peripheral vision, scratch resistant polycarbonate anti-fog coated visor, black FX 9002 #8971790 or equal / if equal is used, must show proof of simunition rating.

MFR: _____ Model: _____

15ea Throat Protector, simunition, High strength textile, 100% polyester outside, 50% cotton / 50% polyester interling HDPE and sponge neoprene, black, size L/XL, FX 9000 simunition throat protector # 8971761 or equal / if equal is used, must show proof of simunition rating

MFR: _____ Model: _____

1ea Mask, Paintball, Soft rubber, with lower mask, ear protection & visor, 260 degree field of vision, 2lbs, black, JT pro flex revolution paintball goggle system #GGJPREV8 or equal

MFR: _____ Model: _____

Consumables Kit for (ALERT) active shooter training

1. There shall be 40 individual kits in each overall resupply kit, each kit will consist of the items listed below.
2. Each individual kit will come with enough materials for a thirty person class and will contain the following.
3. Each kit will come with container lid secured with zip ties.

Number of items in each individual	Description of item
250 ea	Simunition rounds , 9mm FX Marking (Blue), for Glock Model 17T simunition pistols
50 ea	Simunition rounds, 9 mm FX Marking (orange) for Glock Model 17T simunition pistols
6 ea	Training fuses CTS model# 201fb w/1.5 sec delay, that fit CTS model 7290T Flash Bang bodies or fuses must fit flash bang bodies the training kit MFR: _____ Model _____
30 pair	Ear plugs, polyurethane, bell shaped, one size, Howard Leight max UF foam Ear Plugs (NRR33) or equal MFR: _____ Model _____
2	DVR+R double layer Recordable Video Disks - minimum record time of 4hrs 8.5GB/240 minutes to fit Handy Camcorder or equal that is supplied in training kit, Memorex or equal MFR: _____ Model _____
30	Participant Manuals, for ALERT 16 hour active shooter course
30	Class pretest, for ALERT 16 hour active shooter course
30	Class Post test, for ALERT 16 hour active shooter course
30	Class evaluation forms, must include questions to properly evaluate class
4	Instructor evaluation forms, for instructors to evaluate each other's performance
1	Storage tote, plastic, 20 5/8"L x 14 1/8"W x 12 1/2"H ,10 Gallon, blue, Sterilite storage tote # 1820 or equal MFR: _____ Model _____
2	Zip Ties, plastic, 5-6" to re secure storage tote lid after class completion
20	Blank rounds, 9mm for Walter blank pistol Model P99S or model supplied in training kit MFR: _____ Model _____
1pk of 30	Wet wipes, Antibacterial, 5.25" x 7" Germ-Away or equal MFR: _____ Model _____
3	Baggies, plastic, self-closing/sealing, 6.58"x 5 7/8"
30	Ballpoint Pens, black, med point, for students to complete forms